



TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



SCREW DRIVER BITS



80 PCS S/D BIT SET

- ★ 80 pcs Screw driver Bit set is an ideal buy for workshops, garages, assembly lines in factory and all professionals.
- ★ The Bit Set contains variety of Screw Driver Bits, Adaptors and a Ratchet Bit Driver.
- ★ The Screw Driver Bits in the set are Nickel Chrome Plated.

Product No.	Contents
BS 80 (WEIGHT GRAMS 1325)	25mm. Hex.- 2,2.5,3,4,5,6
	25mm. Flat - 3,4,5,5.5,6,6.5
	25mm. Torx (without hole) - T8,T10,T15,T20,T25,T27,T30,T40
	25mm. Torx (with hole) - TT8,TT10,TT15,TT20,TT25,TT27,TT30,TT40
	25mm. Phillips - PH0,PH1,PH2,PH3
	25mm.Adaptor - 1/4 Sq. Drive
	50mm. Hex.- 2,2.5,3,4,5,6
	50mm.Flat - 3,4,5,5.5,6,6.5
	50mm. Torx (without hole) - T8,T10,T15,T20,T25,T27,T30,T40
	50mm. Torx (with hole)- TT8,TT10,TT15,TT20,TT25,TT27,TT30,TT40
	50mm. Phillips - PH0,PH1,PH2,PH3
	50mm.Adaptor - 1/4 Sq.Drive
	65mm. Two in one - PH1 x SL4.5,PH2 x SL5.5, PH3 x SL6.5PH1 x PH1, PH1 x PH2, PH2 x PH2,PH2 x PH3, PH3 x PH3.
	110mm. Two in one - PH1 x PH1,PH2 x PH2,PH3 x PH3, 60mm.
	Bit Holder
	Ratchet Bit Driver Handle.

BIT DRIVER SET WITH S/D BIT



PROD.NO.	A	B	C	D	L	CONTENTS	WT.GMS.
BDS 125	125	6.40	31	8	242	TORX - T5, T6, T8, T10 PHILLIPS NO.- 0,1,2 FLAT - 3mm, 4mm, 5mm	130
BDS T	125	6.40	31	8	242	TORX - T5, T6, T8, T10, T10, T15, T20, T25, T27, T30, T40	130
BDS PF	125	6.40	31	8	242	PHILLIPS NO.- 0,1,2,3 FLAT - 3 x 0.5, 4 x 0.6, 5 x 0.8, 6 x 1.0 x 8 x 1.2	130

- ★ A portable & Economical Bit Set for all professionals and householders.
- ★ Ten most commonly used Screw Driver Bits of 25 mm length placed inside the handle of a sturdy Bit Driver.



BIT DRIVER SET WITH S/D BIT



PROD.NO.	A	B	C	D	L	WT.GMS.
BD 125	125	6.40	26	6	222	90

PHILLIPS HEAD SCREW DRIVER BITS

- ★ Made from expensive high alloy steel.
- ★ Accurately hardened & Tempered to 56-60 HRC
- ★ To withstand high torque and high wear resistance properties.
- ★ Precisely machined Phillips, Torx, Flat & Hexagon tips.
- ★ One of the widest range of quality Screw Driver Bits in India.




25mm & 50mm SINGLE HEAD

PROD.NO.	SIZE	B	C	L	WT.GMS.
SBP 250	0	4	15	25	5.0
SBP 251	1	5	15	25	5.0
SBP 252	2	6	15	25	5.0
SBP 253	3	6	15	25	5.0
SBP 500	0	4	25	50	8.0
SBP 501	1	5	40	50	11.0
SBP 502	2	6	40	50	11.0
SBP 503	3	6	25	50	11.0



SCREW DRIVER BITS (POZIDRIVE)


50mm, 65mm & 110mm DOUBLE HEAD



PROD.NO.	SIZE	PH	A	B1	B2	L	WT.GMS.
SBPP 5011	50 x PH1 x PH1	1	1	5	5	50	10.0
SBPP 5012	50 x PH1 x PH2	1	2	5	6	50	10.0
SBPP 5013	50 x PH1 x PH3	1	3	5	6	50	10.0
SBPP 5022	50 x PH2 x PH2	2	2	6	6	50	11.0
SBPP 5023	50 x PH2 x PH3	2	3	6	6	50	11.0
SBPP 5033	50 x PH3 x PH3	3	3	6	6	50	11.0
SBPP 6512	65 x PH1 x PH2	1	2	6.35	6.35	65	14.0
SBPP 6522	65 x PH2 x PH2	2	2			65	
SBPP 6523	65 x PH2 x PH3	2	3	6.35	6.35	65	14.0
SBPP 11011	110 x PH1 x PH1	1	1	5	5	110	25.0
SBPP 11012	110 x PH1 x PH2	1	2	5	6	110	25.0
SBPP 11022	110 x PH2 x PH2	2	2	6	6	110	25.0
SBPP 11023	110 x PH2 x PH3	2	3	6	6	110	25.0
SBPP 11033	110 x PH3 x PH3	3	3	6	6	110	25.0

TWO IN ONE SCREW DRIVER BITS


50mm, 65mm & 110mm



PROD.NO.	PH	A	B	B2	L	WT.GMS.
SBPF 5026	2	1.0	6	6	50	10.0
SBPF 65145	1	1.0	4.5	6.35	65	14.0
SBPF 65255	2	1.0	5.5	6.35	65	14.0
SBPF 65365	3	1.0	6.5	6.35	65	14.0
SBPF 11026	2	1.0	6	6	110	25.0

TORX HEAD SCREW DRIVER BITS


25mm SINGLE HEAD



PROD.NO.	SIZE	C	L	WT.GMS.
SBT 255	T5	11	25	4.0
SBT 256	T6	11	25	4.0
SBT 257	T7	11	25	4.0
SBT 258	T8	11	25	4.0
SBT 259	T9	11	25	4.0
SBT 2510	T10	11	25	4.5
SBT 2515	T15	11	25	4.5
SBT 2520	T20	11	25	4.5
SBT 2525	T25	11	25	5.0
SBT 2527	T27	11	25	5.0
SBT 2530	T30	11	25	5.0
SBT 2540	T40	--	25	5.5
SBT 2545	T45	11	25	6.0




50mm SINGLE HEAD



PROD.NO.	SIZE	C	L	WT.GMS.
SBT 505	T5	11	50	7.0
SBT 506	T6	11	50	7.0
SBT 507	T7	11	50	7.0
SBT 508	T8	11	50	7.0
SBT 509	T9	11	50	7.0
SBT 5010	T10	11	50	7.5
SBT 5015	T15	11	50	7.5
SBT 5020	T20	11	50	8.0
SBT 5025	T25	11	50	9.0
SBT 5027	T27	11	50	10.0
SBT 5030	T30	11	50	11.5
SBT 5040	T40	--	50	12.0

FLAT HEAD BITS


25mm



PROD.NO.	SIZE	A	B	C	L	WT.GMS.
SBF 253	25x3x0.5	0.50	3	15	25	4.0
SBF 254	25x4x0.6	0.60	4	15	25	4.0
SBF 255	25x5x0.8	0.80	5	15	25	4.0
SBF 256	25x6x1.0	1.00	6	15	25	4.0
SBF 258	25x8x1.2	1.20	8	15	25	4.0



50mm



PROD.NO.	SIZE	A	B	C	L	WT.GMS.
SBF 503	50x3x0.5	0.50	3	25	50	8.5
SBF 504	50x4x0.6	0.60	4	25	50	8.5
SBF 505	50x5x0.8	0.80	5	25	50	10.0
SBF 506	50x6x1.0	1.00	6	25	50	11.0
SBF 508	50x8x1.2	1.20	8	25	50	11.0


HEXAGON HEAD BITS

METRIC SERIES 25mm

PROD.NO.	B	C	L	WT.GMS.
SBH 2515	1.5	17	25	4.0
SBH 252	2	17	25	4.0
SBH 2525	2.5	17	25	4.5
SBH 253	3	17	25	5.0
SBH 254	4	17	25	5.0
SBH 255	5	17	25	6.0
SBH 256	6	17	25	6.0
SBH 258	8	17	25	8.0
SBH 2510	10	17	25	10.0
SBH 5015	1.5	40	50	10.0
SBH 502	2	40	50	10.0
SBH 5025	2.5	40	50	10.0
SBH 503	3	40	50	11.0
SBH 504	4	40	50	11.0
SBH 505	5	40	50	12.0
SBH 506	6	40	50	12.0
SBH 508	8.0	9.20	50	21.0
SBH 5010	10.0	11.50	50	33.0



INCH SERIES 50mm



PROD.NO.	B	C	L	WT.GMS.
SBH 2515	1.5	17	25	4.0
SBH 252	2	17	25	4.0
SBH 2525	2.5	17	25	4.5
SBH 253	3	17	25	5.0
SBH 254	4	17	25	5.0
SBH 255	5	17	25	6.0
SBH 256	6	17	25	6.0
SBH 258	8	17	25	8.0
SBH 2510	10	17	25	10.0
SBH 5015	1.5	40	50	10.0

HACKSAW BLADES

CARBON STEEL ALL HARD

PROD.NO.	DESCRIPTION	STD.PKG.
HBHC 1218	Carbon Steel All Hard (18 TPI)	100
HBHC 1224	Carbon Steel All Hard (24 TPI)	100



CARBON STEEL (DOUBLE SIDE CUTTING)

PROD.NO.	DESCRIPTION	SIZE	STD.PKG.
HBCD 118	18 TPI	300 x 25 x 0.63	50
HBCD 124	24 TPI	300 x 25 x 0.63	50



HSS ALL HARD

PROD.NO.	DESCRIPTION	STD.PKG.
HSS 1218	HSS ALL HARD (18 TPI)	10
HSS 1224	HSS ALL HARD (24 TPI)	10



BI - METAL

PROD.NO.	DESCRIPTION	STD.PKG.
HBB 1218	HSS BI - METAL (18 TPI)	10
HBB 1224	HSS BI - METAL (24 TPI)	10



GEAR PULLER

- ★ Drop forged with high grade steel.
- ★ Accurately hardened & Tempered to withstand high torque.
- ★ The centre screw is provided with a special adjustable cap for better gripping.
- ★ The jaws, link plates, protective cap and connecting bolts are plated.

PROD.NO.	DESCRIPTION	SIZE
BP 303	3 Legs	3
BP 304	3 Legs	4
BP 306	3 Legs	6
BP 308	3 Legs	8



TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nehar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50
Fax : 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • **Fax :** 0253-2350740



An ISO-9001 Company

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®